


WOODMODE

WOOD
FOR
LIFE





WOODMOOD

WOODMOOD IS AN INTERNATIONAL
PREMIUM QUALITY TIMBER BRAND

PURPOSE


Woodmood passionately believes in creating a better living environment. Our philosophy is that wood creates a prestigious and natural environment, both in the interior and exterior living spaces. We believe that wood helps create a cosy atmosphere and to achieve this we can personalise each project to create the best ambience.

PRODUCTION

Our modern Northern European wood-processing factory was founded in 1997 in Karksi, Southern Estonia. We produce Nordic Spruce, Pine and Siberian larch in the following products cladding, decking, flooring, painted interior and exterior products and other timber construction materials. Our highly trained staff; numbering more than 120; are dedicated to the welfare of our clients, to ensure rapid growth of our company and to maintain creativity and innovation in our products on a daily basis. Our Sales in 2018 exceeded 33 million Euros.

ATTITUDE

Our evolution is based on knowledge that we have developed and acquired; curiosity and the courage to try new technologies and finishing techniques. We want to offer our customers the best of both traditional and innovative uses of wood, while maintaining the dignity and character of the wood itself. We know, and sincerely hope that everyone understands, that when surrounded by wood people are healthier and nature is protected and maintained.




OVERVIEW:

- + More than 20 years experience in our field
- + We understand and respect the value of wood
- + High quality Nordic wood products
- + Effective and efficient product development
- + Traditional, classical and tasteful designs
- + Wide range of products
- + We export to more than 35 countries
- + We strive to create new trends in our products and our industry
- + We possess the highest competencies in every stage of our processes and value chain
- + Sustainability and a small ecological footprint are very important to our existence and our corporate culture



NATURAL SIBERIAN LARCH



LARCH | 6



*Siberian
Larch
natural*

CLADDING

Available Sizes in mm

- + 19/20/21/22 x 70/145
- + 28 x 45/70/145
- + 45 x 45/70/145

DECKING

Available Sizes in mm

- + 22 x 145
- + 28 x 145
- + 45 x 70/145





*FINISHED
SIBERIAN
LARCH*



Siberian Larch can be supplied in a number of profiles and finishes from Modern, Character and Aged look

CLADDING
Available Sizes in mm
+ 19/20/21/22 x 70/145
+ 28 x 45/70/145
+ 45 x 45/70/145

DECKING
Available Sizes in mm
+ 22 x 145
+ 28 x 145
+ 45 x 70/145

AGED LOOK SIBERIAN LARCH
Giving a uniform weathered look on Siberian Larch

PAINTED
SIBERIAN LARCH

Viking precoated external cladding with a hidden fixing profile.

Profile dimension

+ 19mm x 146mm
(123mm coverage)

Nordic Whitewood, hidden fixing system. Three surface treatment options: Brushed, Micro Rifled and Fine-Sawn.

VIKING CLADDING

NORDIC WHITEWOOD / NORDIC REDWOOD | 10

VIKING CLADDING



*White oak
(5y warranty)*



*Red oak
(5y warranty)*



*Grey
(5y warranty)*



*Oyster white
(10y warranty)*



*Pure white
(10y warranty)*



*Red
(10y warranty)*



*Light grey
(10y warranty)*



*Grey beige
(10y warranty)*




*Light ivory
(10y warranty)*



*EXTERIOR
CLADDING*

NORDIC WHITEWOOD / NORDIC REDWOOD | 12



PRECOATED
EXTERIOR CLADDING
Available Sizes in mm
+ 18/19/20/21/22 x 95/120/145/195

NORDIC WHITEWOOD
Three surface treatment options:
Brushed, Micro Rifled and
Fine-Sawn.



FEATHEREDGE CLADDING

NORDIC WHITEWOOD / NORDIC REDWOOD 14

Black Featheredge Cladding also available in other colours
e.g white or your chosen colour translucent or solid opaque.

Profiles available

- + 8/22mm x 175mm standard not rebated
- + 11/22mm x 195mm rebated as illustration
- + 14/28mm x 195mm rebated Premium





Painted profiles with the new RUSTIK surface treatment, suitable for both exterior and interior use. RUSTIK comes always with fine sawn surface.

Available Sizes in mm

- + 12 x 95/120
- + 14 x 95/120/145
- + 21 x 95/120/145/195

**RUSTIK
CLADDING**

NORDIC WHITEWOOD / NORDIC REDWOOD | 16



Cappuccino

Mint

Cherry

Smoke

Denim

Lemon

**Other colour tones are available on request.*





KONTRAST

NORDIC WHITEWOOD / NORDIC REDWOOD

KONTRAST

Interior panels with aged look, the wood texture is enhanced by contrasting tone-on-tone colour combinations. Water-based, low VOC.

Profile Available Sizes in mm:

- + 12 x 120
- + 14 x 121/145





Cube
Deep Green



Cube
Mahagon



Cube
Monochrome



To enable you to create and design uniqueness these products are supplied in boxes of 1m². They are supplied with durable two-sided tape to enable you to choose and easily install your own unique pattern.

MOSAIC

NORDIC WHITEWOOD / NORDIC REDWOOD | 20



Available different profiles
Gloss and shade of black can be chosen

Can be coated with suitable surface treatments for all uses:

- + interior wall panelling
- + flooring
- + exterior cladding
- + decking

DRAGON

NORDIC WHITEWOOD / NORDIC REDWOOD | 22




White-Grey





White-Green



Black





OLD SAW White-grey



OLD SAW White-green



OLD SAW Weathered grey

OLD SAW

NORDIC WHITEWOOD / NORDIC REDWOOD | 24



Available different profiles

Can be coated with suitable surface treatments for all uses:

- + interior wall panelling
- + flooring
- + exterior cladding
- + decking



*NATURAL
WHITE WAX*

NORDIC WHITEWOOD / NORDIC REDWOOD | 26

INTERNAL CLADDING
factory finished with white
wax, giving silky whitewash
look

Profile Available Sizes in mm:

Tongue and Groove

+ 12 x 120

+ 14 x 121/145





*Premium Solid wood
softwood flooring
ARCTIK*

NORDIC WHITEWOOD / NORDIC REDWOOD | 28



Dolomite



Basalt



Limestone



Magma



Marble



Granite

ARCTIK
Internal Flooring Range
available in Tongue and
Groove 2/4 sides

Available Sizes in mm

- + 14 x 145
- + 28 x 145
- + 40 x 245




DECKING SUNDECK

NORDIC WHITEWOOD / NORDIC REDWOOD | 30

Modern environmentally friendly oiled decking available in a selection of 5 colours, retains its colour better than pressure preservative treated decking.

Available Sizes in mm
+ 21 x 120
+ 28 x 95/120/145



Oak




Fog



Black pepper



Chilli



Sand


Standard Softwood Decking Profiles - Pressure Preservative Treated, Untreated and Oiled Options.



Accoya® is a high-tech wood. Accoya® is produced from wood from sustainably managed forests using a patented non-toxic acetylation process that thoroughly modifies the properties of wood. The result: environmentally-friendly wood that will outstrip the finest tropical hardwoods with durability, dimensional stability and appearance.

ACCOYA

ACCOYA | 32



Cladding and Decking - painted and natural

DIMENSIONALLY STABLE

- + Swelling and shrinkage reduced by 75% or more
- + Reduced maintenance costs

OUTSTANDING DURABILITY

- + Lasting 50 years above ground, 25 years in ground/freshwater Class 1 durability, surpassing even teak
- + Virtually rot proof
- + 70 year minimum service life stated by TRADA

IDEAL FOR COATING

- + Improved stability means coatings last up to two times longer
- + Easier to coat, less preparation and sanding required

RETAINED STRENGTH & HARDNESS

- + The process does not compromise the wood's strength
- + Hardness is increased
- + High strength to weight ratio makes it suitable for challenging applications

NON-TOXIC & RECYCLABLE

- + Protects the environment from the harmful effects of common treatments
- + May be safely reused, recycled and incinerated

Produced according to customer specific dimensions and profiles



FIRE RETARDANT TREATMENT

NORDIC WHITEWOOD / NORDIC REDWOOD | 34



**CERTIFICATE OF
CONSTANCY OF PERFORMANCE**
0416-CPR-10304-01

Inspecta



In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (The Construction Products Regulation or CPR), this certificate applies to the construction product

Solid wood panels and cladding
Fire-retardant paint, class B-s1,00
Fire protection treatment options in Atrios

placed on the market under the name or trademark of

Puidukoda OÜ

Karkse küla, Mõlgi valla, Viljandimaa, Eestis

and produced in the manufacturing plant(s): Karkse küla, Mõlgi valla, Viljandimaa, Eestis

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 14915:2013

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on **2018-03-21** and will remain valid as long as neither the harmonized standard, the construction product, the A+COP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body. The validity of the certificate can be verified on the Internet at www.inspecta.fi

Inspecta Certification Oy, notified body No 0416, has issued the certificate on 2018-03-21

Mikko Toiminen
Mikko Toiminen, Managing Director



Inspecta Certification Oy
P.O. Box 1038, Suomalaiskatu 2
FI-00021 Helsinki, Finland
Tel. +358 10 521 600

Group: inspecta.fi Inspecta Group Oy, Helsinki, Finland

[A-TRIOS.COM](http://www.a-trios.com)

TREATED UNTREATED



Puidukoda is one of the few companies in Europe that can supply fully certified timber cladding that has been tested to meet Euro Class B or C according to the standard EN 13501-1. We can supply both internal and external cladding in opaque and translucent finishes.

Our Cladding is CE Marked to EN 14915:2013

WOODMOOD

Timber Focus Ltd
3000 Aviator Way
Manchester Business Park
Manchester
M22 5TG
Tel : 0161 504 0011
info@timberfocus.com
www.timberfocus.com

Puidukoda Ltd
Karksi, 69104
Mulgi Parish
Viljandi County
Estonia
info@woodmood.ee
www.woodmood.ee